

SECRET

289

(Security Classification)

25X1

ROUTING			
TO:	NAME AND ADDRESS	DATE	INITIALS
1			
2			
3			
4			
	ACTION	DIRECT REPLY	PREPARE REPLY
	APPROVAL	DISPATCH	RECOMMENDATION
	COMMENT	FILE	RETURN
	CONCURRENCE	INFORMATION	SIGNATURE
REMARKS:			
FROM: NAME, ADDRESS, AND PHONE NO.		DATE	

CONTROL NO. Z-11560/82COPY NPIC/PEG (10/82)
OF


152

**Warning Notice**

Intelligence Sources or Methods Involved

NATIONAL SECURITY INFORMATION

Unauthorized Disclosure Subject to Criminal Sanctions

**SECRET**

(Security Classification)

Page Denied

Next 1 Page(s) In Document Denied

SECRET

25X1

(c) NATIONAL PHOTOGRAPHIC INTERPRETATION CENTERPage 1 of 1Attachment to Z-11560/82
NPIC/PEG (10/82)

Copy _____

402W
SEVERODVINSK SHIPYARD 402, USSR

25X1

1. (SWN) SIGNIFICANCE: ADDITIONAL DETAILS OF THE NEWLY MODIFIED Y-CLASS SUBMARINE (NPIC INTERIM DESIGNATOR 402W) ARE VISIBLE.
2. (SWN) REMARKS: REFINED MENSURATION INDICATES THAT THE NEW FLAT-TOPPED SECTION INSTALLED AFT OF THE SAIL HAS A BEVELED EDGE. AN OUTER WIDTH OF 14 METERS, AN INNER WIDTH OF _____ AND AN OVERALL LENGTH OF _____ THE 14-METER BEAM OF THE 402W IS _____ GREATER THAN THE _____ BEAM OF THE Y NUCLEAR-POWERED BALLISTIC MISSILE SUBMARINE (SSBN). A SERIES OF DARK-TONED LINES, APPROXIMATELY _____ APART, ARE ATHWART THE AFT STARBOARD SIDE OF THE FLAT-TOPPED SECTION. SNOW COVERING PRECLUDES IDENTIFICATION OF ADDITIONAL FEATURES OF THE FLAT-TOPPED HULL SECTION.

25X1

25X1

25X1

25X1

3. _____ COORDINATES 64-34-39N 039-48-29E

25X1

COMMENTS AND QUERIES REGARDING THIS BRIEFING BOARD MAY BE DIRECTED TO _____

25X1

These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing board(s) they were prepared for and must be considered valid only for the reporting period as indicated by the date of issue.

25X1

WARNING NOTICE
Intelligence Sources
and Methods Involved

SECRET

25X1